ILLINOIS FOOD ALLERGY EMERGENCY AC AND TREATMENT AUTHORIZATION	TION PL	AN.			Child's Photograph
NAME:	D.O.B:	/	/		rnotograph
School:	GRADE:				
ALLERGY TO:					
Asthma: \Box Yes (higher risk for a severe reaction) \Box No	W	Veight:	lbs		
Mouth: Itchy mouth Skin: A few hives around mouth/face, mild itch	ANTIHIST/	AMINE	 Call 911 Begin Moni Additional r Antihistami Inhaler (broches) *Inhalers/bronching *Inhalers/bronching *When in doubtion (and the second second	NEDI, itoring (medicat ne onchodi nodilators bended up phylaxis) , use epin become i	ions: lator) if asthma and antihistamines are on to treat a severe → Use Epinephrine.* ephrine. Symptoms can nore severe.**
☐ If checked, give epinephrine for ANY symptoms if the allergen was likely eaten. ☐ If checked, give epinephrine before symptoms if the allergen was definitely eaten.					
MEDICATIONS/DOSES EPINEPHRINE (BRAND AND DOSE): ANTIHISTAMINE (BRAND AND DOSE): Other (a.g., inholor, bronchodilator if anthma);					
given a few minutes or more after the first if symptoms persis lying on back with legs raised. Treat child even if parents can	t or recur. F	For a se			
Student may self-carry epinephrine	□ Stude	ent may	self-administe	er epine	phrine
CONTACTS: Call 911 Rescue squad: ()					
•					
Name/Relationship: F	ዮh: ()			<u></u>	
Licensed Healthcare Provider Signature:(Required)	_Phone:		Da	ıte:	
I hereby authorize the school district staff members to take whatever action in their services consistent with this plan, including the administration of medication to my or Employees Tort Immunity Act protects staff members from liability arising from action members to disclose my child's protected health information to chaperones and oth to the extent necessary for the protection, prevention of an allergic reaction, or eme	child. I understa ons consistent v er non-employe	tand that th with this pl ee volunte	ne Local Governi lan. I also hereb ers at the schoo	mental ar by authoriz l or at sch	d Governmental ze the school district staff nool events and field trips

DOCUMENTATION

- Gather accurate information about the reaction, including who assisted in the medical intervention and who witnessed the event.
- Save food eaten before the reaction, place in a plastic zipper bag (e.g., Ziploc bag) and freeze for analysis.
- If food was provided by school cafeteria, review food labels with head cook.
- Follow-up:
 - Review facts about the reaction with the student and parents and provide the facts to those who witnessed the
 reaction or are involved with the student, on a need-to-know basis. Explanations will be age-appropriate.
 - Amend the Emergency Action Plan (EAP), Individual Health Care Plan (IHCP) and/or 504 Plan as needed.
 - Specify any changes to prevent another reaction.

TRAINED STAFF MEMBERS	
Name:	Room:
Name:	Room:
Name:	Room:
LOCATION OF MEDICATION	
Student to carry	
Health Office/Designated Area for Medication	
Other:	

ADDITIONAL RESOURCES

American Academy of Allergy, Asthma and Immunology (AAAAI) 414-272-6071 http://www.aaaai.org http://www.aaaai.org/patients/resources/fact_sheets/food_allergy.pdf

http://www.aaaai.org/members/allied health/tool kit/ppt/

Lurie Children's Hospital 800-543-7362 www.luriechildrens.org

Food Allergy Initiative (FAI) 212-207-1974 http://www.faiusa.org

Food Allergy and Anaphylaxis Network (FAAN) 800-929-4040 http://www.foodallergy.org

This document is based on input from medical professionals including Physicians, APNs, RNs and certified school nurses. It is meant to be useful for anyone with any level of training in dealing with a food allergy reaction.